Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	51081	dictionary withtranslat\$3.ab. and (@ad<"20001109" @rlad<"20001109")	US-PGPUB; USPAT	OR	ON	2006/03/30 10:41
L2	103	dictionary with translat\$3.ab. and (@ad<"20001109" @rlad<"20001109")	US-PGPUB; USPAT	OR	ON	2006/03/30 10:41
L3	88	dictionary same translat\$3 same language.ab. and (@ad<"20001109" @rlad<"20001109")	US-PGPUB; USPAT	OR	ON	2006/03/30 10:32
L4	5	3 and variable with type and (human french english spanish chinese japan korea kanji) with language	US-PGPUB; USPAT	OR	ON	2006/03/30 11:07
L5	1	translat\$3.ab. and (@ad<"20001109" @rlad<"20001109") and dictionary with translat\$3 and variable with type and (human french english spanish chinese japan korea kanji) with language and selected near (device component node terminal machine)	US-PGPUB; USPAT	ÖR	ON	2006/03/30 11:09
L6	6	3 and (parameter attribue criteria variable) with type and (human french english spanish chinese japan korea kanji) with language	US-PGPUB; USPAT	OR	ON	2006/03/30 11:08
L7	3	translat\$3.ab. and (@ad<"20001109" @rlad<"20001109") and dictionary with translat\$3 and (parameter attribute criteria variable) with type and (human french english spanish chinese japan korea kanji) same language and selected near (device component node terminal machine)	US-PGPUB; USPAT.	OR	ON	2006/03/30 11:10
L10	7	(@ad<"20001109") and dictionary with (interpret\$5 conver\$4 translat\$3) and (parameter attribute criteria variable) with type and (human french english spanish chinese japan korea kanji) same native same language and selected near3 (device component node terminal machine)	US-PGPUB; USPAT	OR	ON	2006/03/30 11:15

L11	6	(@ad<"20001109" @rlad<"20001109") and dictionary with (interpret\$5 conver\$4 translat\$3) and (parameter attribute criteria variable) with type and (human french english spanish chinese japan korea kanji) same native same language and selected near (device component node terminal machine system apparatus computer address)	US-PGPUB; USPAT	OR	ON	2006/03/30 11:17
L12	37	(@ad<"20001109" @rlad<"20001109") and dictionary with (interpret\$5 conver\$4 translat\$3) and (parameter attribute criteria variable) with type and (xml lpt plj snmp ipx http agent native same language) and selected near (device component node terminal machine system apparatus computer address)	US-PGPUB; USPAT	OR	ON	2006/03/30 11:18
L17	13	(@ad<"20001109" @rlad<"20001109") and (database dictionary) same (interpret\$5 conver\$4 translat\$3) and (parameter attribute criteria variable) with type and native same language and selected with (based accord\$3 associate correspon\$4 dependen\$3) with address and select\$3 with (program application agent software module object applet code)	US-PGPUB; USPAT	OR	ON	2006/03/30 11:25
L18	20	(@ad<"20001109") and (interpret\$5 conver\$4 translat\$3) and (parameter attribute criteria variable) with type and native same language and selected with (based accord\$3 associate correspon\$4 dependen\$3) with address and select\$3 with (program application agent software module object applet code)	US-PGPUB; USPAT	OR	ON	2006/03/30 11:27

L19	10	(@ad<"20001109" @rlad<"20001109") and (interpret\$5 conver\$4 translat\$3) and (parameter attribute criteria variable) with type and native same language and selected with (based accord\$3 associate correspon\$4 dependen\$3) with address and select\$3 with (program application	US-PGPUB; USPAT	OR	ON	2006/03/30 11:28
L20 .	31	agent software module object applet code) and select\$4 with type (@ad<"20001109" @rlad<"20001109") and	US-PGPUB; USPAT	OR	ON	2006/03/30 11:31
		(interpret\$5 conver\$4 translat\$3 reformat\$4) and (parameter attribute criteria variable) with type and native same language and selected with (based accord\$3				
		associate correspon\$4 dependen\$3) with (name id identifier address ip mac) and select\$3 with (program application agent software module object applet code) and select\$4				
		with type				
L21	28	20 not 17	US-PGPUB; USPAT	OR	ON	2006/03/30 11:32
L22	31	(@ad<"20001109" @rlad<"20001109") and (interpret\$5 conver\$4 translat\$3 reformat\$4) with (data information dictionary list table database catalog log index) and (parameter	US-PGPUB; USPAT	OR	ON	2006/03/30 12:26
		attribute criteria variable) with type and native same language and selected with (based accord\$3 associate correspon\$4 dependen\$3) with (name id identifier address ip	· · · · · · · · · · · · · · · · · · ·			
		mac) and select\$3 with (program application agent software module object applet code) and select\$4 with type				
L23	28	22 not 17	US-PGPUB; USPAT	OR	ON	2006/03/30 11:32
L24	14	22 not 17 and (xml html http ipx snmp pjl device adj type variabel near language)	US-PGPUB; USPAT	OR	ON	2006/03/30 11:34
L29	1	22 not 17 and (compenent obhect node device terminal hardware) near3 type and variable with language	US-PGPUB; USPAT	OR	ON	2006/03/30 11:35

L30	0	(@ad<"20001109") and (interpret\$5 conver\$4 translat\$3 reformat\$4 transform\$3) with (data information dictionary list table database catalog log index) and (parameter attribute criteria variable) with (value type) same native same language and selected with (based accord\$3 associate correspon\$4 dependen\$3) with (name id identifier address ip mac) and select\$3 with (program application agent software module object applet code) and select\$4 with type	US-PGPUB; USPAT	OR	ON	2006/03/30 12:27
L31	3	(@ad<"20001109") and (interpret\$5 conver\$4 translat\$3 reformat\$4 transform\$3) with (data information dictionary list table database knowledge adj base catalog log index) and (parameter attribute criteria variable) with (value type) same native same language and selected with (name id identifier address ip mac hardware) same (program application agent software module object applet code) and select\$4 with type	US-PGPUB; USPAT	OR.	ON	2006/03/30 12:30
L32	8	(@ad<"20001109" @rlad<"20001109") and (interpret\$5 conver\$4 translat\$3 reformat\$4 transform\$3) with (data information dictionary list table database knowledge adj base catalog log index) and (parameter attribute criteria variable) with (value type) same native same language and selected with (name id identifier address ip mac hardware) same (program application agent software module object applet code)	US-PGPUB; USPAT	OR .	ON	2006/03/30 13:14

L33	. 12	(@ad<"20001109" @rlad<"20001109") and (interpret\$5 conver\$4 translat\$3 reformat\$4 transform\$3) same (dictionary list table database knowledge adj base catalog index) and (parameter attribute criteria variable) with (value type) same native and selected with (name id identifier address ip mac hardware) same (program application agent software module object applet code) and select\$4 near5 (type category class)	US-PGPUB; USPAT	OR	ON	2006/03/30 13:19
-----	------	---	--------------------	----	----	------------------